



Permanently  
integrated at the  
office and at the  
point of sale



# Hygiene protection

More space system | POS Solutions



# Hygiene protection in accordance with the latest standards

With a pandemic on the rise, there is an even higher risk of infection at work. In such times, employers are legally obliged to take special hygiene precautions.

With our hygiene solutions for office spaces and sales counters **Novus Office Protect** and **Novus POS Protect**, you can ensure optimal hygiene protection for your employees and customers in offices and sales areas, in meeting rooms, at counters with customer traffic and in traditional retail stores.

Novus offers high-quality products to protect against coughing and sneezing that can be integrated as a long-term solution. They prevent illness over the long term and promote a healthy workplace.

Choose from various high-quality hygiene solutions for single, double or consultant workstations. Our solutions for traditional retail stores and flexible acrylic glass partitions for computer workstations offer optimal hygiene protection:

- Protection against sneezing
- Protection against coughing
- Protection against droplets

All new **POS Protect** products can be easily integrated into your existing modular workstations. By choosing Novus Protect products, you ensure both safety and functionality. Novus offers high-quality products that can be integrated into your workstations as long-term solutions. We also offer you a five-year guarantee for our quality products.



# Modular system for durable hygiene protection



Hygiene protection in accordance with the latest standards  
Made in Germany

Premium materials like anodised aluminium and acrylic glass provide durable solutions and lasting protection.



Perfectly integrated!


The hygiene protection integrates perfectly with existing solutions. Novus has many years of experience with numerous office furnishing projects and offers a system of sophisticated and lasting solutions.



Unobtrusive!

Perfectly integrated to provide protection without disrupting the workflow. The acrylic glass panels are firmly attached to existing POS arms or to the office systems. They move with the user to offer consistent protection.

# NOVUS TSS Office Protect C



**5**  
Years  
Guarantee

Novus offers a warranty of 5 years when handled in a proper manner.




The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our head-quarters in Germany.

- High-quality acrylic glass partition screen with anodised aluminium columns as a physical barrier for aerosols
- SlatWall element with two slots for attaching accessories and monitor arms
- Folded edges (optional)
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Size of the acrylic glass screen: 120 | 140 | 160 cm x 75 cm x 0.6 cm
- Available in lenght: 1200mm, 1400mm & 1600mm
- Made from high-quality aluminium with an acrylic glass screen with a thickness of 6 mm
- Column length: 600 mm

Version	Art.No.	EAN Code
 Silver	976+1209+000	4009729075043
 Silver	976+1219+000	4009729075050
 Silver	976+1409+000	4009729075067
 Silver	976+1419+000	4009729075074
 Silver	976+1609+000	4009729075081
 Silver	976+1619+000	4009729075098

# NOVUS VESA Protect



Novus offers a warranty of 5 years when handled in a proper manner.

- High-quality acrylic glass partition screen with VESA 100 attachment for physical protection against aerosols
- Easy installation between the monitor and support arm
- Size of the acrylic glass screen: 100 cm x 65 cm x 0.4 cm

Version	Art.No.	EAN Code
	795+9200+000	4009729075104

# NOVUS POS connect L 380




- High-quality, height adjustable 2-part support arm with a connect joint for the fixation of POS connect plates, 2nd part of the arm is downwards assembled
- Integrated acrylic glass screen (630 x 530 x 6 mm) as a physical barrier for aerosols
- Mounting of flat screens up to 10 kg
- Restrict movement by tightening the joints
- Range: 450 mm
- Easy adjustment through different joints
- Perfect cable management by cable clips
- High-quality silver or black anodised aluminum profiles
- Removable clamping grips for protection from theft
- Obligatory supplement is a POS base

Version	Art.No.	EAN Code
 anthracite	853+4535+002	4009729075029
 Silver	853+4539+002	4009729075036



The value establishes the weight in kg with which the product can be loaded



The value indicates the scope of the product in mm



Novus offers a warranty of 2 years when handled in a proper manner.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our headquarters in Germany.

# NOVUS POS Protect C



- High-quality acrylic glass partition screen with anodised aluminium columns as a physical barrier for aerosols
- Table mounting with system clamp 1 for a desktop thickness of 14-40 mm
- Made from high-quality aluminium with an acrylic glass screen with a thickness of 6 mm
- Column length: 600 mm



Novus offers a warranty of 5 years when handled in a proper manner.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our headquarters in Germany.

Version	Art.No.	EAN Code
  anthracite	854+0415+000	4009729074558
  anthracite	854+0215+000	4009729074473
  Silver	854+0419+000	4009729074565
  Silver	854+0219+000	4009729074480



# NOVUS POS Protect F



















**5**  
Years  
Guarantee

Novus offers a warranty of 5 years when handled in a proper manner.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our head-quarters in Germany.

- High-quality acrylic glass partition screen with anodised aluminium columns as a physical barrier for aerosols
- Anodised aluminium column with solid metal base
- Made from high-quality aluminium with an acrylic glass screen with a thickness of 6 mm
- Column length: 600 mm

Version	Art.No.	EAN Code
  anthracite	854+0465+000	4009729074572
  anthracite	854+0165+000	4009729074435
  anthracite	854+0365+000	4009729074510
  anthracite	854+0265+000	4009729074497
  Silver	854+0469+000	4009729074589
  Silver	854+0169+000	4009729074442
  Silver	854+0369+000	4009729074527
  Silver	854+0269+000	4009729074503



# NOVUS POS Protect G



- High-quality acrylic glass partition screen with anodised aluminium columns as a physical barrier for aerosols
- POS 2in1 attachment cable+
- Made from high-quality aluminium with an acrylic glass screen with a thickness of 6 mm
- Column length: 600 mm



Novus offers a warranty of 5 years when handled in a proper manner.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our head-quarters in Germany.

Version	Art.No.	EAN Code
 anthracite	854+0405+000	4009729074534
 anthracite	854+0205+000	4009729074459
 Silver	854+0409+000	4009729074541
 Silver	854+0209+000	4009729074466



0920 DE | Technical data and design are approximate and subject to change.



## We deliver your project

Please feel free to contact us for individual system solutions and product developments:

Tel. +49 (0)591 9140 415 or e-mail: [info@novus-dahle.com](mailto:info@novus-dahle.com)

Novus Dahle GmbH  
Novus more space system  
Breslauer Straße 34–38  
49808 Lingen (Ems)  
Tel. +49 (0) 591 9140 0  
Fax +49 (0) 591 9140 841  
[info@novus-dahle.com](mailto:info@novus-dahle.com)

[www.novus-dahle.com](http://www.novus-dahle.com)

A company of the

